

No Skidding®



NO SKIDDING FLOOR CARE

266 Wildcat Rd, Toronto, ON M3J 2N5 Canada
 Phone: (416) 667-1788 Fax: (416) 667-1783
 sales@noskidding.com www.noskidding.com
 or call us Toll Free at 1-800-375-0571

We warehouse within the U.S. for our U.S. customers

No Skidding® Products Inc. manufactures and distributes the most complete range of slip injury prevention products available anywhere. Our products include a full range of anti slip floor coatings, slip resistant treatments, floor care products, slip resistant tapes - grit, vinyl and resilient.

Note: Terms and conditions are subject to change without notice. E & O.E.




Please read detailed instructions & MSDS before using any No Skidding products.


Limitation of Liability: The great variation between environmental factors, possible surfaces and application techniques, and the lack of control we have over such matters, must affect our policies. Products

are guaranteed not to be defective when applied and used in accordance with instructions. However, liability whether express or implied, is limited to replacement of product or refund of purchase price and cannot include liability for labor costs or consequential damages. Because of the variety of circumstances affecting each job, it is the user's responsibility to determine the suitability and safety of the product for any particular application. This limited warranty may not be modified or extended by manufacturer's representatives, distributors, or dealers.


We particularly recommend that users always test in small inconspicuous areas before application to the entire surface. If you are chemically sensitive, always test for personal tolerance.

CLEANERS & DEGREASERS, HIGH PERFORMANCE & SLIP RESISTANT

ITEM NO.	DESCRIPTION
8501 	<p>ON GUARD - Heavy Duty, Super Concentrated Degreaser & Cleaner</p> <p>No Skidding® On Guard is a precise chemical formulation that will lift dirt and grease from the pores of tiles and concrete surfaces. This electrolytic releasing action helps restore the slip resistant quality of the original surface and will even remove old, hard caked on grease. On Guard is needed anywhere a hazardous condition exists due to a slippery floor. Suitable for restaurants, hotels, motels, hospitals, nursing homes, schools, universities, colleges, etc. Use as part of commercial kitchen slip proofing system. Highly concentrated. On Guard is easy to use, biodegradable, non acid. Free rinsing, Does not contain butyl or ammonia. Dilution ratios start from one ounce per gallon water. Approved by Agri - Foods Canada. Effective On Hard Grease, Yet Safe In Use. <i>1 Gallon & 5 Gallon pails.</i></p>
8521	<p>ELECTRA GUARD - Heavy Duty Concentrated Degreaser</p> <p>Similar performance specifications as On Guard Dilutions start at 2 oz. per gallon</p>
8301 	<p>FLEXCLEAN - Heavy Duty, Concentrated All Purpose Electrolytic Cleaner</p> <p>Cleans surfaces totally. Does not leave a residue as with conventional quat. cleaners. Non caustic, no ammonia and no acid content. Electrolytically detaches soil from substrate. Recommended for cleaning surface before application of No Skidding® Industrial Anti Slip Treatment and to maintain surface after slip resistant treatment is applied. Use to preclean and maintain surfaces treated with our anti slip treatments. Dilution ratio start at 1 oz. per gallon water Approved by Agri - Foods Canada. <i>1 Gallon & 5 Gallon pails.</i></p>
8321	<p>ELECTRACLEAN - General Purpose Concentrated Cleaner</p> <p>Food safe. Ideal for floors in restaurants, kitchens, fast food operations, industrial plants, laundries, hallways etc. Biodegradable, septic tank safe. Highly concentrated. Very economical. <i>1 Gallon & 5 Gallon pails.</i></p>
8302	<p>FLEXCLEAN - Anti-Bacterial Cleaner</p> <p>Food safe. Ideal for floors in restaurants, kitchens, fast food operations, industrial plants, laundries, hallways etc. Biodegradable, septic tank safe. Highly concentrated. Economical. Same performance as Flexclean #8301. <i>1 Gallon & 5 Gallon pails. 4 Gallons / Case.</i></p>
8601 	<p>TAG Tile & Grout Cleaner</p> <p>Ceramic and porcelain tile and grout cleaner. For a small area, fill a spray bottle with TAG and spray generously. Leave for 2 min. Lightly agitate, rinse with clean water. Mop apply on larger areas. Do not use on marble or stone. <i>4 Gallons / Case.</i></p>
70378	<p>TRAX</p> <p>Slip resistant cleaner and maintainer that is formulated for vinyl, linoleum, marble, terrazzo, acrylic surfaces & floor finishes. Dries to a low sheen finish. Highly concentrated waterbased. Can be buffed to a gloss. Concentrated, as little as 4 oz. per gallon. Deposits an Anti-Slip film on surface.</p>

ITEM NO.	DESCRIPTION
71378	<p style="text-align: center;">SRC</p> <p>General use cleaner formulated for glazed tiles, quarry tile, terrazzo, urethane sealed floors, epoxy and other types of painted floors. Dries to a matt finish. Can be buffed. Highly Concentrated. Waterbased. Concentrated, as little as 4 oz. per gallon. Deposits an Anti-Slip film on surface. <i>4 Gallons / Case.</i></p> 
SSC141	<p style="text-align: center;">SSC - Safety Solvent Cleaner - 141</p> <p>A highly effective solvent for removing skid marks, tar, crayon, adhesive, graffiti, marker, and many difficult materials in a multitude of problem situations. Water soluble, environmentally friendly. Excellent in parking garages, ramps, etc. Please ask for detailed product data sheet. Ready to use. <i>4 Gal/Case.</i></p>
8180	<p style="text-align: center;">ANTI-STATIC SURFACE SPRAY</p> <p>To control static problems. Anti-static liquid is applied with sprayer directly to surface. Especially for computer rooms and all areas where static is a problem. Dilutes up to 1:10 with water. Ideal on vinyl, carpet, etc. <i>1 Gallon & 5 Gallon pails. 4 Gallons / Case.</i></p>

FLEX HIGHEST QUALITY SLIP RESISTANT FLOOR CARE FINISHES

ITEM NO.	DESCRIPTION
8002	<p style="text-align: center;">FLEXFINISH H.T. - (High Traffic) Slip Resistant Floor Care Finish High Gloss</p> <p>For floors subject to high traffic. Burnishing recommended. Cures in 15 minutes, enabling rapid recoating. FlexFinish cures from the bottom to the surface. Coverage is up to 3,000 sq ft/gal, 1 coat on non-porous surfaces. FlexFinish is self sealing, non powdering, non yellowing, versatile, easily applied, has excellent scuff & scratch resistance and is slip resistant. <i>1 Gallon & 5 Gallon pails.</i></p> 
8001	<p style="text-align: center;">FLEXFINISH - Slip Resistant Floor Care Finish 32% Solids, High Gloss</p> <p>Cures in under 15 minutes, enabling rapid recoating. FlexFinish cures from the bottom to the surface. Coverage is up to 3,000 sq ft/gal: 1 coat on non-porous surfaces. FlexFinish is self sealing, non powdering, non yellowing, versatile, easily applied, has excellent scuff & scratch resistance and is slip resistant. Burnishing recommended. <i>1 Gallon & 5 Gallon pails.</i></p>
8101	<p style="text-align: center;">FLEXFINISH - Satin Slip Resistant Floor Care Finish 32% Solids</p> <p>Burnish or Dry Bright. Low Lustre. Cures in 15 minutes, simply mop on and allow to dry. FlexFinish cures from the inside to the surface. Coverage is up to 3,000 sq. ft /gal: 1 coat on non-porous surfaces. Recommended for Seniors facilities. Flexfinish is self sealing non powdering, non yellowing, versatile, easily applied, has excellent - scuff & scratch resistance and is Slip Resistant. <i>4 Gallons / Case.</i></p>
8401	<p style="text-align: center;">FLEXSEAL</p> <p>An effective sealer / undercoat that replaces resilience in vinyl Floors. Does not contain styrene. Provides ideal base for Flexfinish High Gloss or Satin. Enhances bond of any quality finish to vinyl substrate. Coverage 3,000 sq. ft /gal: 1 coat. <i>1 Gallon & 5 Gallon pails.</i></p>
8201	<p style="text-align: center;">FLEXSTRIP</p> <p>Electrolytic Floor Stripping Process reduces stripping time, is safer to use, and uses a selective implosion method to emulsify old floor finishes resulting in less slipperiness during stripping. Safe on all floors. Does not contain ammonia. CONCENTRATED. <i>1 Gallon and 5 Gallon pails.</i></p>
8203	<p style="text-align: center;">FLEX SURFACE PREP & NEUTRALISER - Highly Concentrated</p> <p>Neutralizing rinse after wax stripping to remove all alkali residue before application of FLEXFINISH or MAXIFLEX. <i>4 Gallons / Case.</i></p>
8701 HIGH GLOSS	<p style="text-align: center;">MAXIFLEX RESILIENT</p> <p>Slip Resistant Floor Care Finish for Natural Stone & Vinyl. Imparts increased slip resistance to wet or dry surfaces. A durable easy to apply finish for use on fine floor surfaces such as vinyl, linoleum, wood, ceramic, terrazzo, marble, quarry tile or stone. Water based, no odor, non-yellowing. <i>4 Gallons / Case.</i></p>

ITEM NO.	DESCRIPTION
8702 LOW LUSTRE	<p align="center">MAXIFLEX Low Lustre</p> <p>For indoor use. Compliant with OSHA & ADA requirements for co-efficient of friction. Suitable for floors where there is a concern for slip injury prevention combined with the need for a durable, clear finish. Rapid drying, recoatable in 15 minutes. Coverage is approx.3,000 sq. ft/gal: 1 coat. Very good scuff and scratch resistance. Self sealing. For increasing traction on dry, slippery surfaces caused by dust residue and on smooth surfaces such as porcelain tile. Also on resilient floors that get wet or greasy such as fast food restaurants, hospital operating rooms, senior care, etc. Non-powdering. Ultra-violet Light resistant. for use in food industries. Approved by Agriculture & Agri - foods Canada. <i>4 Gallons / Case.</i></p>
8703	<p align="center">MAXIFLEX H.T. - (High Traffic) Highly Slip Resistant Clear Floor Finish</p> <p>Slip Resistant Floor Care Finish for Natural Stone & Vinyl. Imparts increased slip resistance to wet or dry surfaces. A durable easy to apply finish for use on fine floor surfaces such as vinyl, linoleum, wood, ceramic, terrazzo, marble, quarry tile or stone. Water based, no odor, non-yellowing. Coverage is approx. 3,000 sq. ft. per gallon per coat on non-porous surfaces. For floors subject to high traffic. <i>4 Gallons / Case.</i></p>
8801 	<p align="center">No Skidding® ASSET - Anti-Slip Stain Sealer & Treatment</p> <p>No Skidding® ASSET seals and increases the static coefficient of friction on most surfaces including: Grout, Quarry Tile, Ceramic Tile, Glazed Tile, Granite, Marble, Limestone, Terrazzo, Saltillo Tile, Slate, Flagstone, Concrete, Brick, Travertine, Porcelain Tile. A unique water based product that protects tile by penetrating into the surface and forms an invisible barrier that is resistant to moisture and to staining while allowing vapor to escape. It is not a surface coating that will alter the look of the surface, can be used indoors and outdoors. Average coverage is about 2000 sq. ft per gallon (about 4 cents per sq. ft). <i>4 Gal/Case.</i></p> <div data-bbox="1263 583 1409 659" style="float: right; border: 2px solid red; border-radius: 50%; padding: 5px; text-align: center; color: white; font-weight: bold;"> NEW for 2008 </div>