

**No Skidding®**



266 Wildcat Rd, Toronto, ON M3J 2N5 Canada  
 Phone: (416) 667-1788 Fax: (416) 667-1783  
 sales@noskidding.com www.noskidding.com  
 or call us Toll Free at 1-800-375-0571

We warehouse within the U.S. for our U.S. customers

# COMPLETE LIST OF PRODUCTS

03/14

No Skidding® Products Inc. manufactures and distributes the most complete range of slip injury prevention products available anywhere. Our products include a full range of anti slip floor coatings, slip resistant treatments, floor care products, slip resistant tapes - grit, vinyl and resilient.

**Terms & Conditions:** US Funds & FOB our Toronto facility. Wire in advance of shipping or irrevocable letter of credit.


**Note:** Prices, terms and conditions are subject to change without notice. **Confidential, for Authorized Distributors only. Only authorized stocking distributors may purchase at these prices.**


Prices subject to change without notice.  
 Product TDS & MSDS are available upon request.  
 Please read detailed instructions & MSDS before using any No Skidding® product.

**Limitation of Liability:** The great variation between environmental factors, possible surfaces and application techniques, and the lack of control we have over such matters, must affect our policies. Products are guaranteed not to be defective when applied and used in accordance with instructions. However, liability whether express or implied, is limited to replacement of product or refund of purchase price and cannot include liability for labor costs, punitive or consequential damages. Because of the variety of circumstances affecting each job, it is the user's responsibility to determine the suitability and safety of the product for any particular application. This limited warranty may not be modified or extended by manufacturer's representatives, distributors, or dealers. Our products cannot eliminate slipping. E & O.E.



**We particularly recommend that users always test in small inconspicuous areas before application to the entire surface. If you are chemically sensitive, always test for personal tolerance.**


## No Skidding® Anti-Slip Treatments

ITEM NO.	DESCRIPTION
90378	<p><b>NO SKIDDING® INDUSTRIAL ANTI SLIP FLOOR TREATMENT</b></p> <p>Slip/Fall protection for hard floors made of ceramic, quarry tile, granite, terrazzo, and similar, porcelain tubs, shower floors and swimming pool decks. Formulated for industry. Invisible. No curing time. Put floor back into use immediately. Indoors &amp; outdoors. Coverage is 40 sq meters or 400 + sq ft/gal. CFIA Compliant. Water based. One gallon treats 32 tubs. Certified High Traction by NFSI. Available in: 1 gallon (4 gal/case), 5 gallon &amp; 55 gallon drums.</p> 
80378	<p><b>NO SKIDDING® PORCELAIN GRADE ANTI SLIP TREATMENT</b></p> <p>For porcelain tile and delicate stone surfaces. Indoors &amp; outdoors. Certified High Traction by NFSI. CFIA compliant. Coverage is 40 sq meters or 400 sq ft/gal. Available in: 1 gallon (4 gal/case), 5 gallon &amp; 55 gallon drums.</p> 
50378	<p><b>NO SKIDDING® HEAVY DUTY TREATMENT - CONCRETE</b></p> <p>For unsealed concrete surfaces indoors &amp; outdoors. Coverage is 40 m<sup>2</sup> or 400 ft<sup>2</sup> / gal. Certified High Traction by NFSI Available in: 1 gallon (4 gal/case), 5 gallon &amp; 55 gallon drums.</p>


ITEM NO.	DESCRIPTION
00501	<p style="text-align: center;"><b>TREATMENT RINSE COMPOUND</b></p> <p>For rinsing the surface after application to stop action of the above Treatments. (One 1lb. pack required per gallon of Treatment ordered) 6 X 1 lb./case</p>
ITEM NO.	DESCRIPTION
10904	<p style="text-align: center;"><b>D.I.Y. ANTI SLIP BATHTUB TREATMENT - 4 oz.</b></p> <p>Slip resistant treatment for porcelain enamel bathtubs and tile shower floors. One 4 oz. Bottle will help render one tub or shower stall slip resistant for years with a simple three minute application. Certified High Traction by NFSI Supplied in: 24 X 4 oz. Cases</p> 
10908	<p style="text-align: center;"><b>D.I.Y. ANTI SLIP BATHTUB TREATMENT - 8 oz.</b></p> <p>One bottle will treat two tubs. Certified High Traction by NFSI Supplied in: 12 x 8 oz Cases</p>
10932	<p style="text-align: center;"><b>D.I.Y. ANTI SLIP TUB &amp; TILE TREATMENT - 32 oz.</b></p> <p>One bottle will treat 8 Porcelain tubs or 100 sq. ft (10 sq m.) of floor tile. Certified High Traction by NFSI</p>


## HIGH PERFORMANCE CLEANERS & DEGREASERS

ITEM NO.	DESCRIPTION
8501	<p style="text-align: center;"><b>ON GUARD - Concentrated Degreaser &amp; Cleaner</b></p> <p>No Skidding® On Guard is a concentrated degreaser that will help lift dirt and grease from the pores of tiles and concrete surfaces. This electrolytic releasing action helps remove old, hard caked on grease. On Guard is needed anywhere a hazardous condition exists due to a slippery floor. Suitable for restaurants, kitchens, hotels, motels, hospitals, nursing homes, schools, universities, colleges, etc. Highly concentrated &amp; easy to use. Dilution ratios start from two ounces per gallon of water. CFIA Compliant. Available in: 1 Gallon (4 Gal/Case), 5 Gallon &amp; 55 Gallon drums.</p> 
8301	<p style="text-align: center;"><b>FLEXCLEAN - Concentrated All Purpose Electrolytic Cleaner</b></p> <p>Cleans surfaces thoroughly. Does not leave a residue as with conventional quat cleaners. Non caustic, no ammonia and no acid content. Electrolytically detaches soil from substrate. Recommended for cleaning surface of dirt before application of No Skidding® Industrial Anti Slip Treatment and to maintain surface after slip resistant treatment is applied. Dilution ratio start at 2 oz. per gallon water. CFIA Compliant. Available in: 1 Gallon (4 Gal/Case), 5 Gallon &amp; 55 Gallon Drums.</p> 

ITEM NO.	DESCRIPTION
8800	<p style="text-align: center;"><b>Degreaser 770</b></p> <p>Heavy duty cleaner &amp; degreaser for removal of imbedded grease, dirt and wax on unglazed ceramic and porcelain tiles. Degreaser 770 is also highly effective as a grout cleaner for all non-polished ceramic, porcelain and stone surfaces. Dilute 1 part to 5 ratio with cool to warm water (higher dilution may be required for heavy concentrations of dirt or wax) Available in: 1 gallon (4 gal/case) and 55 gallon drums.</p>
8601	<p style="text-align: center;"><b>TAG Tile &amp; Grout Cleaner</b></p> <p>Ceramic and porcelain tile and grout cleaner. For a small area, fill a spray bottle with TAG and spray generously. Leave for 2 min. Lightly agitate, rinse with clean water. Mop apply on larger areas. Do not use on marble or stone. Available in: 1 gallon (4 gal/case), 5 gallon &amp; 55 gallon drums.</p>
70378	<p style="text-align: center;"><b>TRAX</b></p> <p>Slip resistant cleaner and maintainer that is formulated for vinyl, linoleum, marble, terrazzo, acrylic surfaces &amp; floor finishes. Dries to a low sheen finish. Highly concentrated water based. Can be buffed to a gloss. Concentrated, as little as 4 oz. per gallon. Deposits an Anti-Slip film on surface. <b>UL® Classified for slip resistance.</b> Available in: 1 gallon (4 Gal/Case), 5 gallon &amp; 55 gallon drums.</p>
71378	<p style="text-align: center;"><b>SRC</b></p> <p>General use cleaner formulated for glazed tiles, quarry tile, terrazzo, urethane sealed floors, epoxy and other types of painted floors. Dries to a matt finish. Can be buffed. Highly Concentrated. Waterbased. Concentrated, as little as 4 oz. per gallon. Approved by CFIA Canada. Deposits an Anti-Slip film on surface. <b>UL® Classified for slip resistance.</b> Available in: 1 Gallon (4 Gal/Case), 5 Gallon &amp; 55 gallon drums.</p> 
72378	<p style="text-align: center;"><b>ASM – Anti Slip Maintainer</b></p> <p>An effective cleaner / maintainer that helps maintain the long term performance of No Skidding Anti Slip Treatments on unsealed ceramic &amp; porcelain tiles and tubs, porous concrete, quarry tile and brick, and similar unsealed floor surfaces. Daily clean at 4 oz. per gallon of water or once / week, 12 oz. per gallon of water. <b>UL® Classified for slip resistance.</b> Ready to use. 4 Gal/Case.</p>

## SLIP RESISTANT FLOOR CARE

ITEM NO.	DESCRIPTION
8002	<p style="text-align: center;"><b>FLEXFINISH H.T. - (High Traffic) Slip Resistant Floor Care Finish High Gloss</b></p> <p>Flexfinish HT is an excellent quality high gloss, high solids thermoplastic floor finish that provides a bright gloss. Flexfinish HT is durable, easy to apply, has outstanding wear and appearance. Typically four coat application required. Flexfinish HT is suitable wherever floor finishes are typically applied. Coverage is about 2500 sq. ft. per gallon on non porous surfaces, one coat. Flexfinish HT non powdering, non yellowing, versatile, easily applied, has good scuff &amp; scratch resistance and is slip resistant. <b>UL® Classified for slip resistance.</b> Available in: 1 Gallon (4 Gal/Case), 5 Gallon &amp; 55 gallon drums.</p> 
ITEM NO.	DESCRIPTION
8101	<p style="text-align: center;"><b>FLEXFINISH - Satin Slip Resistant Floor Care Finish</b></p> <p>A durable high quality low luster floor finish that is designed for easy application and subsequent maintenance. Recommended for senior care facilities or any application where a durable low luster floor finish is required. Buff or Dry Bright. Low Luster. Simple application. Flexfinish cures from the inside to the surface. Coverage is approx.2,000 sq. ft. to 2500 sq. ft. /gal: 1 coat. Initially four coat application required. Recommended for Seniors facilities. Flexfinish is self sealing non powdering, non yellowing, versatile, easily applied, has excellent scuff &amp; scratch resistance and is slip resistant. <i>4 Gallons / Case.</i></p>
8201	<p style="text-align: center;"><b>FLEXSTRIP</b></p> <p>Electrolytic Floor Stripping Process reduces stripping time, is safer to use, and uses a selective implosion method to emulsify old floor finishes resulting in less slipperiness during stripping. Safe on all floors. Does not contain ammonia. <b>CONCENTRATED.</b> <i>1 Gallon and 5 Gallon pails.</i></p>
8702 LOW LUSTRE	<p style="text-align: center;"><b>MAXIFLEX Low Luster</b></p> <p>For indoor use. Compliant with OSHA requirements for co-efficient of friction. Suitable for floors where there is a concern for slip injury prevention combined with the need for a durable, clear finish. Rapid drying, re-coatable in 15 minutes. Coverage is approx.2,000 sq. ft. to 2500 sq. ft./gal: 1 coat. Very good scuff and scratch resistance. Self sealing. For increasing traction on dry, slippery surfaces caused by dust residue and on smooth surfaces such as porcelain tile. Also on resilient floors that get wet or greasy such as fast food restaurants, hospital operating rooms, senior care, etc. Non-powdering. Ultra-violet Light resistant. For use in food industries. <i>4 Gallons / Case.</i></p>
8703	<p style="text-align: center;"><b>MAXIFLEX H.T. - (High Traffic) Highly Slip Resistant Clear Floor Finish</b></p> <p>Slip Resistant Floor Care Finish for Natural Stone &amp; Vinyl. Imparts increased slip resistance to wet or dry surfaces. A durable easy to apply finish for use on fine floor surfaces such as vinyl, linoleum, wood, ceramic, terrazzo, marble, quarry tile or stone. Water based no odor, non-yellowing. Coverage is approx. 2000 sq. ft. to 2500 sq. ft. per gallon per coat on non-porous surfaces. <b>UL® Classified for slip resistance.</b> For floors subject to high pedestrian traffic. <i>4 Gallons / Case.</i></p>




ITEM NO.	DESCRIPTION
8801	<p style="text-align: center;"><b>No Skidding® ASSET – Water Base Penetrating Sealer</b></p> <p>No Skidding® ASSET penetrates, protection and sealing for grout, quarry tile, ceramic tile, glazed tile, granite, marble, limestone, terrazzo, saltillo tile, slate, flagstone, concrete, brick, travertine, and porcelain tile. A unique water based product that protects tile by penetrating into the surface and forms an invisible barrier that is resistant to moisture and to staining while allowing vapor to escape. It is not a surface coating that will alter the look of the surface, can be used indoors and outdoors. Average coverage is about 2000 sq. ft per gallon, one coat. <i>4 Gal / Case.</i></p> 
ITEM NO.	DESCRIPTION
8901	<p style="text-align: center;"><b>No Skidding® PASS - Porous Anti Slip Surface Sealer</b></p> <p>No Skidding® Porous Anti Slip Surface Sealer (PASS) is a water-based indoor / outdoor hard surface sealer that provides superior resistance to grease, moisture, solvents and other foreign materials, for concrete, terra cotta, brick, pavers, Saltillo tiles, as well as many unglazed ceramic tiles. PASS can achieve a high gloss in a few as 2 coats. With optional micro traction booster for added slip resistance as required. Coverage is up to 2,000 sq. ft. per gallon. <i>4 Gal / Case.</i></p>
ITEM NO.	SAMPLE BOTTLES OF ANTI SLIP TREATMENT, CLEANERS AND SEALERS
10908 90378-8 80378-8 50378-8 8301-8 8501-8 8601-8 8801-8	<b>NO SKIDDING® D.I.Y. ANTI SLIP TREATMENT - 8 OZ</b> <b>NO SKIDDING® ANTI SLIP TILE TREATMENT – 8 OZ</b> <b>NO SKIDDING® ANTI SLIP PORCELAIN TILE TREATMENT – 8 OZ</b> <b>NO SKIDDING® ANTI SLIP UNSEALED CONCRETE TREATMENT – 8 OZ</b> <b>FLEXCLEAN CONCENTRATED CLEANER – 8 OZ</b> <b>ON GUARD CONCENTRATED DEGREASER – 8 OZ</b> <b>T.A.G. TILE &amp; GROUT CLEANER – 8 OZ</b> <b>NO SKIDDING® ASSET – 8 OZ – All Samples above supplied in: 12 x 8 oz Cases</b>



## ANTI SLIP PAINT COATINGS

No Skidding® anti-slip floor coating systems provide a durable, aggressive, economical and long lasting solution to the problem caused by slips and falls for pedestrian traffic and vehicular traffic.

Available in grades tough enough to handle forklift and vehicular traffic and grades gentle enough for barefoot traffic. Increase safety of walkways, ramps and entrances. Product for indoor & outdoor applications.

ITEM NO.	DESCRIPTION
<p><b>11935C</b> <b>11935W</b></p>	<p><b>ACRYLIC SLIP RESISTANT TEXTURED AEROSOL SPRAY - CLEAR</b></p> <p>No Skidding® Slip Resistant Acrylic Clear Aerosol Spray, Product No. 11935C is a clear acrylic resin blend that dries rapidly and retains translucency, durability, flexibility and non yellowing characteristics. Does not have an amber hue as is the case with clear epoxies. Suitable for wood, concrete, acrylic. Theoretical coverage up to 20 sq. ft. per aerosol. <i>12 oz. Spray Cans 12/Case</i></p>
ITEM NO.	DESCRIPTION
<p><b>11930C Clear</b> <b>11930W White</b> <b>11930G Grey</b> <b>11930B Black</b> <b>11930Y Yellow</b></p>	<p style="text-align: center;"><b>EPOXY SLIP RESISTANT TEXTURED AEROSOL SPRAY</b></p> <p>For use indoors and outdoors. A slip resistant epoxy spray that cures to a hard, textured finish. Adheres to fiberglass, wood, steel, concrete and other surfaces where a slip resistant finish is desired. Effective on steps, ramps, loading docks, bathtubs, shower floors, fire escape ladders, stair treads, pool surrounds, boat decks, marine applications and around machinery. Self priming on most surfaces. Special nozzle helps to prevent blockage. Quick drying. Available in gallon cans. See Product 79QD. Theoretical coverage 20 sq. ft per unit. Additional colors available: <i>12 oz. Spray Cans 12/Case</i></p> <div style="text-align: right;">  </div>
ITEM NO.	DESCRIPTION
<p><b>79015 Grey</b> <b>79017 Green</b> <b>79019 Red</b> <b>79020 Yellow</b> <b>79021 Black</b> <b>79022 Beige</b> <b>79033 Sand</b></p>	<p style="text-align: center;"><b>EPICOTE - Slip Resistant Floor Coating - Pedestrian Grade High Profile With Integrated Traction Grit. ONE PART SYSTEM</b></p> <p>Single part anti slip coating with integrated grit, provides a durable, coarse, slip resistant surface. For interior &amp; exterior use on wood, concrete or steel surfaces that require safe footing. Resistant to gasoline, acids, most oils, hydraulic oils, grease, alcohol, etc. Apply with brush or roller. Coverage 100 to 125 sq. ft per gallon. Clean up with Mineral Spirits. Available in 1 gallon containers (<i>2 Gal/Case</i>) and 5 gal pails</p>

ITEM NO.	DESCRIPTION
79140  79023T	<p style="text-align: center;"><b>EPICOTE – Epoxy Clear Finish Coat &amp; Sealer - One Part Hard Wearing &amp; Chemical Resistance. Regular No Profile (79140-no profile, 79023T with clear polymer traction)</b></p> <p>For use on floors, machinery, etc. For concrete factory floors and wooden gymnasium floors. Tough, durable and convenient, one component application. An economical concrete floor sealer and finish for industrial use in manufacturing operations, warehouses etc., A durable, lustrous finish. For interior use on wood, concrete or steel surfaces. Resistant to acids, oil, alcohol, fruit juice, cleaners, and moisture. Recommended as a sealer on concrete to prevent dusting and deteriorating. Apply with brush or roller. Coverage: 400 sq ft/gal, one coat on non porous surfaces Available in 1 gallon containers (2 Gal/Case) and 5 gal pails.</p> 
ITEM NO.	DESCRIPTION
79WBC Clear 79WBG Grey 79WBW White 79WBY Yellow	<p style="text-align: center;"><b>EPICOTE EPOXY W.B. - Water base One Part Slip Resistant Floor Coating with integrated traction</b></p> <p>Water based, Low Profile, For use on wood, steel, previously painted surfaces etc. Fast dry. Additional colors available to order. Coverage 300 sq ft/gal 2 Gal/Case.</p>
99002 Grey 99003 Green 99005 Yellow 99006 Black 99007 Han. Blue 99011 White 99013 Sand	<p style="text-align: center;"><b>VULCAN U.V. High Profile - Heavy Duty Pedestrian Grade</b></p> <p>Slip Resistant Floor Coating. Contains heavy integrated traction grit. For interior and exterior use on wood, concrete or steel surfaces that require safe footing. Incorporates anti slip aggregates to the hazards of slipping areas. Resistant to weathering, abrasion and mild chemical. Ideal for around pools, steps, ramps, sidewalks, etc. ONE PART SYSTEM. Ideal for old or new concrete. Coverage approx.100 - 150 sq ft/gal. 2 Gal/Case and 5 gallon pails. <b>100 gallon min order.</b></p> 
97301 Light Gray 97302 Red 97303 Black 97304 Brown 97305 Beige 97306 H. Blue 97308 Yellow 97309 White 97313 Green 97312 Clear	<p style="text-align: center;"><b>Super Acrylic High Profile Slip Resistant Coating</b></p> <p>97300 Series is a durable, abrasive, anti-slip coating for a variety of interior and exterior applications. This product significantly reduces the chances of slipping, although this product cannot totally prevent the possibility of slipping. It is low odour and low VOC. Soap and water cleanup. Suitable for use on walkways, steps, ramps, locker room floors, boat decks, and a variety of other interior and exterior concrete, wood and metal surfaces that have been properly prepared. This product is not for use in areas where it will be underwater; it is also not for use on garage floors or other areas of wheeled vehicle traffic. Coverage 100 - 150 sq ft/gal. 2 Gal/Case.</p> 


ITEM NO.	DESCRIPTION
78001 Clear 78002 White 78003 Grey 78004 Beige 78007 Red 78008 Black 78009 Lt. Blue 78011 Safety Blue 78013 Yellow	<p style="text-align: center;"><b>AQUA TUFF - 2 Part Water based Epoxy No Profile</b> (For slip resistant coating order with "T" suffix as below)</p> <p>Chemical and abrasion resistant. Brake fluid resistant. Resists hot tire pick up. Supplied regular or with slip resistant additive. Hard wearing. Resists aviation fuel, gasoline and skydrol. Available in grey, clear and colors. Coverage 200-300 sq. ft. / gal, one coat. Must order with Suffix "T" as below for slip resistance.</p> 
ITEM NO.	DESCRIPTION
78001T Clear 78002T White 78003T Grey 78004T Beige 78007T Red 78008T Black 78009T Lt. Blue 78011T Safety Blue 78013T Yellow	<p style="text-align: center;"><b>AQUA TUFF - 2 Part Slip Resistant Water based Epoxy.</b></p> <p>Supplied With Traction Granules. Chemical and abrasion resistant. Brake fluid resistant. Resists hot tire pick up. Supplied regular or with slip resistant additive. Hard wearing. Resists aviation fuel, gasoline and skydrol. Available in grey, clear and colors. CFIA Compliant. Coverage 200-300 sq. ft. / gal, one coat.</p>
<b>AU-73</b>	<p style="text-align: center;"><b>EPO-TUFF AU-73 2 Part Clear Aliphatic Urethane System – 1 Gal Kit</b></p> <p>A high build, high solids durable system that resists impact &amp; and abrasion. Suitable for metal and concrete and as a top coat for ES-83. Coverage +/- 250 sq. ft. per gallon at 5 ml thickness. CFIA Compliant. <b>No Profile.</b></p> 
<b>AU-73T</b>	<p style="text-align: center;"><b>EPO-TUFF AU-73 2 Part Clear Aliphatic Urethane System – 1 Gal Kit</b></p> <p>A high build, high solids durable system that resists impact &amp; and abrasion. Suitable for metal and concrete and as a top coat for ES-83. Coverage about 250 sq. ft. per gallon at 5 ml thickness. CFIA Compliant <b>Slip Resistant.</b></p>



ITEM NO.	DESCRIPTION
<p>ES-83-1 Grey ES-83-1 Black ES-83-1 White ES-83-1 Red</p>	<p align="center"><b>No Skidding® ES-83-1 Two Part, Anti Slip Floor Coating One gallon kit, Matt Finish</b></p> <p>High-solids, fast dry, one gallon, two component slip resistant epoxy protective coating for tough industrial and commercial applications. Supplied as a matt / low luster. A coating that is especially formulated to help solve slip injury problems. Anti Slip Traction supplied with kit.</p> <ul style="list-style-type: none"> <li>• High build, high performance.</li> <li>• Fast dry.</li> <li>• Fast curing.</li> </ul> <p><b>Colors Available:</b> Grey, Black, White, Red Oxide Theoretical coverage is 160 sq. ft to 220 sq. ft. per one gallon kit @ 5 mils dft. <b>Container sizes:</b> Supplied in One gallon kit.</p>
ITEM NO.	DESCRIPTION
<p>ES-83-2</p> <p><b>Colour Group I</b></p> <p><b>Colour Group II</b></p>	<p align="center"><b>No Skidding® ES-83-2 Two Part High Solids Floor Coating, 2 gallon Kit, Semi Gloss</b></p> <p>2 gallon kit. For demanding wear conditions. Heavy duty. 83% solids. ES-83 is a high solids, high-build, slip resistant epoxy protective coating for tough industrial environments. Especially formulated to help solve slip injury problems with traction grit. Available in standard gray, medium gray, oxide red, black and white. (Color Group I)</p> <p>Safety Yellow, Safety Green, Safety Orange, Brown, Safety Blue, Cobalt Blue, Safety Red. (Color Group II) No Profile. Suitable for factories, warehouses, parking garages, tow-motor traffic. Spreading rate up to 220 sq. / per gallon at 5 ml thickness. (Stipulate Color choice when ordering)</p> <p><b>No Profile.</b></p> <p>Also available in 5 gallon (2 X2.5 gallon containers) packing. Coverage is up to 1100 sq. ft. per five gallon kit. Specify product code ES-83-5 when ordering. Price 5 times per gallon price.</p> <p>CFIA Compliant</p> <p align="center">No Skidding® ES-83-2 Two Part High Solids Floor Coating, 2 gallon Kit, Semi Gloss Available with FAST CURE, \$10 per gallon extra</p> <div data-bbox="1144 1123 1502 1354" style="text-align: right;"> </div>

ITEM NO.	DESCRIPTION
ES-83-2T	<p align="center"><b>No Skidding® ES-83-2 Two Part Anti Slip Floor Coating, 2 gallon Kit, Semi Gloss</b></p> <p>2 gallon kit. For extreme wear conditions. Very heavy duty. 83% solids. Available in standard gray, medium grey, oxide red, black and white. (Color Group I)</p> <p><b>Colour Group I</b> Safety Yellow, Safety Green, Safety Orange, Brown, Safety Blue, Cobalt, Blue, Safety Red. (Color Group II). No Profile. Suitable for factories, warehouses, parking garages, tow-motor traffic. Spreading rate up to 220 sq.ft / per gallon at 5 ml thickness. (Stipulate Color choice when ordering) We can also offer custom colors.</p> <p><b>Colour Group II</b> <b>With Profile. Includes ES-83 Traction Grit.</b> Also available in 5 gallon (2 X2.5 gallon containers) packing. Coverage is up to 1100 sq. ft. per five gallon kit. Specify product code ES-83-5 when ordering. Price 5 times per gallon price. CFIA Compliant</p> <p align="center">No Skidding® ES-83-2 Two Part High Solids Floor Coating, 2 gallon Kit, Semi Gloss Available with FAST CURE, \$10 per gallon extra</p>

ITEM NO.	DESCRIPTION
79023-1M	<p align="center"><b>No Skidding Anti Slip Traction Grit – For Pigmented Coatings</b></p> <p>This specially formulated anti-slip aggregate is designed to elevate the foot on a damp or wet surface, permitting the water to escape instead of causing the foot to hydroplane. Composed of a very hard and angular shaped aggregate provides long term durability and excellent slip resistant features. Can be used in most pigmented paint coatings. 454 grams per pack. One pack per gallon.</p>
79023-PF60 79023-PM40	<p align="center"><b>No Skidding Anti Slip Traction Grit – For Clear Coatings</b></p> <p>This specially formulated anti-slip aggregate is designed to elevate the foot on a damp or wet surface, permitting the water to escape instead of causing the foot to hydroplane. Composed of a very hard clear polymer aggregate that provides long term durability and excellent slip resistant features. Can be used in most pigmented paint coatings. 454 grams per pack. One pack / gallon. Available fine – 60 or 40 medium.</p>

ITEM NO.	DESCRIPTION
ASM 825A	<p align="center"><b>DIGITAL SLIP METER</b></p> <p>New Advanced digital slip meter performs static coefficient of friction testing. Updated electronics improves accuracy. Calibrated for dry and wet testing on the ASTM C1028 and for wet on NSF1 test tile. To measure co-efficient of friction on all hard surfaces. Calibrated to James Machine as per ASTM &amp; OSHA. Weighs 5 lbs (2.2 kg) Very robust &amp; portable. Heavy duty steel casing with carrying case.</p> 



## ANTI SLIP TAPES INDOOR OR OUTDOOR USE



ITEM NO.	SIZE ROLLS	PER CASE	DESCRIPTION
NS5101B10 NS5102B10	1" X 10 ft. 2" X 10 ft.	24 12	RETAIL D.I.Y. ANTI SLIP TAPE - BLACK GRIT
NS5101B20 NS5102B20	1" X 20 ft. 2" X 20 ft.	24 12	RETAIL D.I.Y. ANTI SLIP TAPE - BLACK GRIT
NS5101B NS5102B NS5103B NS5104B NS5106B NS5112B NS5118B NS5124B NS5136B NS5142B	1" X 60 ft. 2" X 60 ft. 3" X 60 ft. 4" X 60 ft. 6" X 60 ft. 12" X 60 ft. 18" X 60 ft. 24" X 60 ft. 36" X 60 ft. 42" X 60 ft.	12 6 4 3 2 1 1 1 1 1	<p style="text-align: center;"><b>ANTI SLIP TAPE - BLACK GRIT</b></p> <p>Anti-Slip High Traction Safety Tape 60 grit. Apply firm traction and durable protection, suitable for recreational areas such as playgrounds, pool areas, campers, stairways, work areas, machine shops, hazardous floor areas, industrial equipment, lawn equipment.  <b>Certified High Traction by NFSI.</b></p> <p><i>Price per 60 ft. roll.</i></p> 
ITEM NO.	SIZE ROLLS	PER CASE	DESCRIPTION
NS5100B	5.5" X 5.5" .75" X 24" 6" X 24"		<p><b>STRIPS &amp; CLEATS - BLACK GRIT</b></p> <p>Anti-Slip High Traction Safety Tape.  <i>50 pcs/Case.</i></p> 
NS5100B	9" X 33"		<p style="text-align: center;"><b>SKATEBOARD GRIP</b></p> <p>Precut for most skateboards. 60 grit</p>

ITEM NO.	SIZE ROLLS	PER CASE	DESCRIPTION
NS5201B NS5202B NS5203B NS5204B NS5206B NS5212B NS5218B NS5224B NS5236B NS5248B	1" X 60 ft. 2" X 60 ft. 3" X 60 ft. 4" X 60 ft. 6" X 60 ft. 12" X 60 ft. 18" X 60 ft. 24" X 60 ft. 36" X 60 ft. 48" X 60 ft.	12 6 4 3 2 1 1 1 1 1	<p style="text-align: center;"><b>ANTI SLIP TAPE - BLACK GRIT</b></p> <p>Anti-Slip, High Traction Safety Tape 80 grit. Long lasting for tough applications. Suitable for industrial areas, loading ramps, dock areas, walkways, stairwells, work areas, machine shops, industrial equipment, trucks &amp; trailers Silicon carbide stone. Rubber adhesive system.  <b>Certified High Traction by NFSI.</b>  <i>Price per 60 ft roll.</i></p>


ITEM NO.	SIZE ROLLS	PER CASE	DESCRIPTION
NS5200B	5.5" X 5.5" .75" X 24" 6" X 24" 6" X 24" PS 6" X 24" RS		<b>STRIPS &amp; CLEATS - BLACK GRIT</b> Anti-Slip, High Traction, long lasting for tough applications. Priced / piece, packed per case of 50 pieces. With photo luminescent stripe (24 per case) with reflective stripe (24 per case)
ITEM NO.	SIZE ROLLS	PER CASE	DESCRIPTION
NS5301B NS5302B NS5303B NS5304B NS5306B NS5312B NS5318B NS5324B NS5336B NS5348B	1" X 60 ft. 2" X 60 ft. 3" X 60 ft. 4" X 60 ft. 6" X 60 ft. 12" X 60 ft. 18" X 60 ft. 24" X 60 ft. 36" X 60 ft. 48" X 60 ft.	12 6 4 3 2 1 1 1 1 1	<b>ANTI SLIP COARSE TAPE - BLACK GRIT</b> Anti-Slip, High Traction Safety Tape 46 grit. Long lasting for tough applications. Suitable for industrial areas, loading ramps, dock areas, walkways, stairwells, work areas, machine shops, industrial equipment, trucks & trailers Silicon carbide stone. Rubber adhesive. <b>Certified High Traction by NFSI.</b> <i>Price per 60 ft roll.</i>
	5.5" X 5.5" .75" X 24" 6" X 24"	50 pcs 50 pcs 50 pcs	Packed 50 pieces per case, priced per piece
NS5502B NS5504B NS5506B	2" X 60 ft. 4" X 60 ft. 6" X 60 ft.	6 3 2	<b>ANTI SLIP EXTRA COARSE TAPE – BLACK GRIT</b> Heavy duty extra coarse anti slip black grit tape for heavy foot traffic and dirty work environments that may clog up standard grit products. Our extra coarse offers a very deeply textured 36 grit surface.
NS5101C NS5102C NS5103C NS5104C NS5106C NS5112C NS5118C NS5124C NS5136C NS5142C	1" X 60 ft. 2" X 60 ft. 3" X 60 ft. 4" X 60 ft. 6" X 60 ft. 12" X 60 ft. 18" X 60 ft. 24" X 60 ft. 36" X 60 ft. 42" X 60 ft.	12 6 4 3 2 1 1 1 1 1	<b>ANTI SLIP GRIT TAPE – CLEAR</b> Clear Solid Anti-Slip High Traction Safety Tape 60 grit. Apply for traction and durable protection, suitable for recreational areas such playgrounds, pool areas, campers, stairways, work areas, machine shops, hazardous floor areas, industrial equipment, lawn equipment, trucks and trailers. <b>Certified High Traction by NFSI.</b>
	5.5" X 5.5" .75" X 24" 6" X 24"	50 pcs 50 pcs 50 pcs	Packed 50 pieces per case, priced per piece
NS5101Y NS5102Y NS5103Y NS5104Y NS5106Y NS5112Y NS5118Y NS5124Y NS5136Y NS5142Y	1" X 60 ft. 2" X 60 ft. 3" X 60 ft. 4" X 60 ft. 6" X 60 ft. 12" X 60 ft. 18" X 60 ft. 24" X 60 ft. 36" X 60 ft. 42" X 60 ft.	12 6 4 3 2 1 1 1 1 1	<b>ANTI SLIP GRIT TAPE – YELLOW</b> Yellow Solid Anti-Slip High Traction Safety Tape 60 grit. Apply for traction and durable protection, suitable for recreational areas such playgrounds, pool areas, campers, stairways, work areas, machine shops, hazardous floor areas, industrial equipment, lawn equipment, trucks and trailers. <b>Certified High Traction by NFSI</b>



ITEM NO.	SIZE ROLLS	PER CASE	DESCRIPTION
NS5101R NS5102R NS5103R NS5104R NS5106R NS5112R NS5118R NS5124R NS5136R NS5142R	1" X 60 ft. 2" X 60 ft. 3" X 60 ft. 4" X 60 ft. 6" X 60 ft. 12" X 60 ft. 18" X 60 ft. 24" X 60 ft. 36" X 60 ft. 42" X 60 ft.	12 6 4 3 2 1 1 1 1 1	<p style="text-align: center;"><b>ANTI SLIP GRIT TAPE – RED</b></p> <p>Solid Red Anti-Slip High Traction Safety Tape 60 grit. Apply for traction and durable protection, suitable for recreational areas such playgrounds, pool areas, campers, stairways, work areas, machine shops, hazardous floor areas, industrial equipment, lawn equipment, trucks and trailers.</p> <p><b>Certified High Traction by NFSI.</b></p> 
NS5101O NS5102O NS5103O NS5104O NS5106O NS5112O NS5118O NS5124O NS5136O NS5142O	1" X 60 ft. 2" X 60 ft. 3" X 60 ft. 4" X 60 ft. 6" X 60 ft. 12" X 60 ft. 18" X 60 ft. 24" X 60 ft. 36" X 60 ft. 42" X 60 ft.	12 6 4 3 2 1 1 1 1 1	<p style="text-align: center;"><b>ANTI SLIP GRIT TAPE – ORANGE</b></p> <p>Solid Orange Anti-Slip High Traction Safety Tape 60 grit. Apply for traction and durable protection, suitable for recreational areas such playgrounds, pool areas, campers, stairways, work areas, machine shops, hazardous floor areas, industrial equipment, lawn equipment, trucks and trailers.</p> <p><b>Certified High Traction by NFSI.</b></p>
NS5101GR NS5102GR NS5103GR NS5104GR NS5106GR NS5112GR NS5118GR NS5124GR NS5136GR NS5142GR	1" X 60 ft. 2" X 60 ft. 3" X 60 ft. 4" X 60 ft. 6" X 60 ft. 12" X 60 ft. 18" X 60 ft. 24" X 60 ft. 36" X 60 ft. 42" X 60 ft.	12 6 4 3 2 1 1 1 1 1	<p style="text-align: center;"><b>ANTI SLIP GRIT TAPE – GREY</b></p> <p>Solid Grey Anti-Slip High Traction Safety Tape 60 grit. Apply for traction and durable protection, suitable for recreational areas such playgrounds, pool areas, campers, stairways, work areas, machine shops, hazardous floor areas, industrial equipment, lawn equipment, trucks and trailers.</p> <p><b>Certified High Traction by NFSI.</b></p>
NS5101GN NS5102GN NS5103GN NS5104GN NS5106GN NS5112GN NS5118GN NS5124GN NS5136GN NS5142GN	1" X 60 ft. 2" X 60 ft. 3" X 60 ft. 4" X 60 ft. 6" X 60 ft. 12" X 60 ft. 18" X 60 ft. 24" X 60 ft. 36" X 60 ft. 42" X 60 ft.	12 6 4 3 2 1 1 1 1 1	<p style="text-align: center;"><b>ANTI SLIP GRIT TAPE – GREEN</b></p> <p>Solid Green Anti-Slip High Traction Safety Tape 60 grit. Apply for traction and durable protection, suitable for recreational areas such playgrounds, pool areas, campers, stairways, work areas, machine shops, hazardous floor areas, industrial equipment, lawn equipment, trucks and trailers.</p> <p><b>Certified High Traction by NFSI.</b></p>
NS5101BU NS5102BU NS5103BU NS5104BU NS5106BU NS5112BU NS5118BU NS5124BU NS5136BU NS5142BU	1" X 60 ft. 2" X 60 ft. 3" X 60 ft. 4" X 60 ft. 6" X 60 ft. 12" X 60 ft. 18" X 60 ft. 24" X 60 ft. 36" X 60 ft. 42" X 60 ft.	12 6 4 3 2 1 1 1 1 1	<p style="text-align: center;"><b>ANTI SLIP GRIT TAPE – BLUE</b></p> <p>Solid Dark Blue Anti-Slip High Traction Safety Tape 60 grit. Apply for traction and durable protection, suitable for recreational areas such playgrounds, pool areas, campers, stairways, work areas, machine shops, hazardous floor areas, industrial equipment, lawn equipment, trucks and trailers.</p> <p><b>Certified High Traction by NFSI.</b></p> 


ITEM NO.	SIZE ROLLS	PER CASE	DESCRIPTION
NS5101YB NS5102YB NS5103YB NS5104YB NS5106YB NS5112YB NS5118YB NS5124YB NS5136YB NS5142YB NS5100YB-6X24 NS5100-6X24-CAUTION NS5100-6x24-WATCH-YOUR-STEP	1" X 60 ft. 2" X 60 ft. 3" X 60 ft. 4" X 60 ft. 6" X 60 ft. 12" X 60 ft. 18" X 60 ft. 24" X 60 ft. 36" X 60 ft. 42" X 60 ft. 6"X24" 6"X24" 6"X24"	12 6 4 3 2 1 1 1 1 1 50 24 24	<p align="center"><b>ANTI SLIP GRIT TAPE – YELLOW &amp; BLACK DIAGONAL</b></p> <p>Yellow &amp; Black Diagonal Stripe Anti-Slip High Traction Safety Tape 60 grit. Apply for traction and durable protection, suitable for recreational areas such playgrounds, pool areas, campers, stairways, work areas, machine shops, hazardous floor areas, industrial equipment, lawn equipment, trucks and trailers.</p> <p>“Caution” legend or  “Watch Your Step” legend that provides a clear message to workers and also provide an anti-skid surface to your hazardous areas.  <b>Certified High Traction by NFSI.</b></p> 
NS5101WR NS5102WR NS5103WR NS5104WR NS5106WR NS5112WR NS5118WR NS5124WR NS5136WR NS5142WR	1" X 60 ft. 2" X 60 ft. 3" X 60 ft. 4" X 60 ft. 6" X 60 ft. 12" X 60 ft. 18" X 60 ft. 24" X 60 ft. 36" X 60 ft. 42" X 60 ft.	12 6 4 3 2 1 1 1 1 1	<p align="center"><b>ANTI SLIP GRIT TAPE – WHITE &amp; RED DIAGONAL</b></p> <p>Red &amp; White Diagonal Stripe Anti-Slip High Traction Safety Tape 60 grit. Apply for traction and durable protection, suitable for recreational areas such playgrounds, pool areas, campers, stairways, work areas, machine shops, hazardous floor areas, industrial equipment, lawn equipment, trucks and trailers.  <b>Certified High Traction by NFSI.</b></p> 
NS5601B NS5602B NS5604B NS5606B NS5612B NS5600B-6x24	1" X 60 ft. 2" X 60 ft. 4" X 60 ft. 6" X 60 ft. 12" X 60 ft. 6" X 24", 50 (per case)	12 6 3 2 1 50/pck	<p align="center"><b>MOP FRIENDLY BLACK GRIT ANTI SLIP TAPE</b></p> <p>Provides an enhanced level of anti-skid protection while enjoying a snag free mop cleaning experience. Our Mop Friendly Anti Slip Tape is similar to our premium grade traction tape but with a modified grit particle that allows a mop to pass over without catching the strings</p>
ITEM NO.	SIZE ROLLS	PER CASE	DESCRIPTION
NS5702B NS5704B NS5706B NS5712B NS5700B-6X24	2" x 60 ft. 4" x 60 ft. 6" x 60 ft. 12" x 60 ft. 6" x 24"	6 3 2 1 10/pck	<p align="center"><b>ANTI SLIP CONFORMABLE GRIT TAPE</b></p> <p>Our conformable aluminum foil backed high traffic anti slip tape conforms to most irregular surfaces like tread plate, metal flooring, heavily textured surfaces, stair nosings. Our conformable foil backed grit tape resists lifting and flagging better than conventional grit tape. It has our 60 grit aluminum oxide texture and an aggressive adhesive system making it a very suitable all around choice for many different irregular surfaces.  <i>Price per 60 ft roll.</i></p>

ITEM NO.	PRODUCT NAME	PER CASE	DESCRIPTION
SR/M001	Rubber Mallet	1	When applying our foil backed conformable anti slip tape onto irregular surfaces or diamond tread plate use our soft rubber mallet to ensure the tape follows the contours of the irregular surface.
NS5-ESC	Edge Sealing Compound	1	Edge Sealing Compound for sealing edges after installing anti slip tape that may be exposed to excess water, oil, and grease for extended periods. One tube seals between 75 & 100 linear ft.

ITEM NO. / SIZE	DESCRIPTION
NS4000 - 16 X 34C	<p align="center"><b>SLIP RESISTANT TEXTURED BATH MATS - CLEAR VINYL</b></p> <p align="center">16" X 34" Rectangle Price per mat</p> <p>Non abrasive embossed PVC with pressure sensitive adhesive peel and stick. Barefoot friendly and mop friendly. Designed for tubs and showers. (We recommend SSC-141 to easily remove old appliques or strips in bathtubs.)</p>
ITEM NO. / SIZE	DESCRIPTION
NS4000 - 16 X 34W NS4400 - 16 X 34W NS4000 - 16 X 40W NS4000 - 24 X 24W	<p align="center"><b>SLIP RESISTANT TEXTURED BATH MATS - WHITE VINYL</b></p> <p>16" X 34" Rectangle, Price per mat  16" X 34" Rectangle <b>Coarse</b>, Price per mat  16" X 40" Rectangle, Price per mat  24"X24" Shower Mats, Priced per mat</p> <p>Non abrasive embossed PVC with pressure sensitive adhesive. Barefoot friendly and mop friendly. Designed for tubs and showers. (We recommend SSC-141 to easily remove old appliques or strips in bathtubs.)</p> 
NS4550 - 16 X 34C	<p align="center"><b>SLIP RESISTANT RESILIENT BATH MATS - CLEAR RUBBERISED VINYL</b></p> <p>Anti-Slip Rubberized Vinyl safety bath mat. Rough textured for firm traction. Comfortable for barefoot traffic and bathing. Easy to clean and mop friendly. Clear for added aesthetic benefit. 16" X 34" Rectangle. Minimum order 120 mats.</p>



ITEM NO.	SIZE ROLLS	PER CASE	DESCRIPTION
NS4001C NS4002C NS4003C NS4004C NS4006C NS4012C NS4018C NS4024C NS4036C NS4048C NS4000C-.75X7.5 NS4000C-.75X17.5	1" X 60 ft. 2" X 60 ft. 3" X 60 ft. 4" X 60 ft. 6" X 60 ft. 12" X 60 ft. 18" X 60 ft. 24" X 60 ft. 36" X 60 ft. 48" X 60 ft. .75"X7.5" .75"X17.5"	12 6 4 3 2 1 1 1 1 1 100 pcs 50 pcs	<p align="center"><b>ANTI SLIP VINYL TAPE - CLEAR FINE</b></p> <p>Anti-Slip vinyl safety tape. Suitable for showers, bathtubs stairs treads, boats, locker rooms, therapy rooms, and equipment entryways, swimming pools, step stools, golf carts, aquatic equipment, and many more applications. Non abrasive embossed PVC. Barefoot friendly and mop friendly. Designed for indoor wet application.</p> <p>Priced per individual piece, packed in packs of 100 (0.75"X7.5") or 50 (0.75"X17.5")</p>
NS4001W NS4002W NS4003W NS4004W NS4006W NS4012W NS4018W NS4024W NS4036W NS4048W NS4000W-.75X7.5 NS4000W-.75X17.5	1" X 60 ft. 2" X 60 ft. 3" X 60 ft. 4" X 60 ft. 6" X 60 ft. 12" X 60 ft. 18" X 60 ft. 24" X 60 ft. 36" X 60 ft. 48" X 60 ft. .75"X7.5" .75"X17.5"	12 6 4 3 2 1 1 1 1 1 100 pcs 50 pcs	<p align="center"><b>ANTI SLIP VINYL TAPE - WHITE FINE</b></p> <p>Anti-Slip vinyl safety tape. Suitable for showers, bathtubs stairs treads, boats, locker rooms, therapy rooms, and equipment entryways, swimming pools, step stools, golf carts, aquatic equipment, and many more applications. Non abrasive embossed PVC. Barefoot friendly and mop friendly. Designed for indoor wet application.</p> <p><i>Price per 60 ft roll.</i></p> <p>Priced per individual piece, packed in packs of 100 (0.75"X7.5") or 50 (0.75"X17.5")</p>
ITEM NO.	SIZE ROLLS	PER CASE	DESCRIPTION
NS4401W NS4402W NS4403W NS4404W NS4406W NS4412W NS4418W NS4424W NS4436W NS4448W	1" X 60 ft. 2" X 60 ft. 3" X 60 ft. 4" X 60 ft. 6" X 60 ft. 12" X 60 ft. 18" X 60 ft. 24" X 60 ft. 36" X 60 ft. 48" X 60 ft.	12 6 4 3 2 1 1 1 1 1	<p align="center"><b>ANTI SLIP VINYL TAPE - WHITE COARSE</b></p> <p>Anti Slip Coarse vinyl safety tape. Suitable for showers, bathtubs stairs treads, boats, locker rooms, therapy rooms, and equipment entryways, swimming pools, step stools, golf carts, aquatic equipment, playground power lawn care machinery, exercise equipment and many more applications. Non abrasive embossed PVC. Barefoot friendly and mop friendly. Designed for indoor wet application.</p>



ITEM NO.	SIZE ROLLS	PER CASE	DESCRIPTION
NS4401B NS4402B NS4403B NS4404B NS4406B NS4412B NS4418B NS4424B NS4436B NS4448B	1" X 60 ft. 2" X 60 ft. 3" X 60 ft. 4" X 60 ft. 6" X 60 ft. 12" X 60 ft. 18" X 60 ft. 24" X 60 ft. 36" X 60 ft. 48" X 60 ft.	12 6 4 3 2 1 1 1 1 1	<p style="text-align: center;"><b>ANTI SLIP VINYL TAPE - BLACK COARSE</b></p> <p>Anti Slip Coarse vinyl safety tape. Suitable for showers, bathtubs stairs treads, boats, locker rooms, therapy rooms, and equipment entryways, swimming pools, step stools, golf carts, aquatic equipment, playground power lawn care machinery, exercise equipment and many more applications. Non abrasive embossed PVC. Barefoot friendly and mop friendly. Designed for indoor wet application.</p>
NS45001B NS45002B NS45003B NS45004B NS45006B NS45012B NS45018B NS45024B NS45036B NS45048B	1" X 60 ft. 2" X 60 ft. 3" X 60 ft. 4" X 60 ft. 6" X 60 ft. 12" X 60 ft. 18" X 60 ft. 24" X 60 ft. 36" X 60 ft. 48" X 60 ft.	12 6 4 3 2 1 1 1 1 1	<p style="text-align: center;"><b>ANTI SLIP RESILIENT TAPE - BLACK RUBBERISED VINYL</b></p> <p>Rugged, Anti-Slip Resilient Rubberized Vinyl safety tape. Rough textured for Firm Traction. Suitable for step stools, golf carts, aquatic equipment, playground apparatus, power lawn machines entry ways, and dozens more. Designed for heavy shoe traffic but comfortable for barefoot traffic. Suitable for industrial and commercial applications. Easy to clean and mop friendly. <b>Certified High Traction by NFSI.</b> <i>Price per 60 ft roll</i></p> 
NS45001G NS45002G NS45003G NS45004G NS45006G NS45012G NS45018G NS45024G NS45036G NS45048G	1" X 60 ft. 2" X 60 ft. 3" X 60 ft. 4" X 60 ft. 6" X 60 ft. 12" X 60 ft. 18" X 60 ft. 24" X 60 ft. 36" X 60 ft. 48" X 60 ft.	12 6 4 3 2 1 1 1 1 1	<p style="text-align: center;"><b>ANTI SLIP RESILIENT TAPE – GRAY RUBBERISED VINYL</b></p> <p>Rugged, Anti-Slip Resilient Rubberized Vinyl safety tape. Rough textured for Firm Traction. Suitable for step stools, golf carts, aquatic equipment, playground apparatus, power lawn machines entry ways, and dozens more. Designed for heavy shoe traffic but comfortable for barefoot traffic. Suitable for industrial and commercial applications. Easy to clean and mop friendly. <b>Certified High Traction by NFSI.</b> <i>Price per 60 ft roll.</i></p>
NS45001C NS45002C NS45003C NS45004C NS45006C NS45012C NS45018C NS45024C NS45036C NS45048C	1" X 60 ft. 2" X 60 ft. 3" X 60 ft. 4" X 60 ft. 6" X 60 ft. 12" X 60 ft. 18" X 60 ft. 24" X 60 ft. 36" X 60 ft. 48" X 60 ft.	12 6 4 3 2 1 1 1 1 1	<p style="text-align: center;"><b>ANTI SLIP RESILIENT TAPE – CLEAR RUBBERISED VINYL</b></p> <p>Rugged, Anti-Slip Resilient Rubberized Vinyl safety tape. Rough textured for Firm Traction. Suitable for step stools, golf carts, aquatic equipment, playground apparatus, power lawn machines entry ways, and dozens more. Designed for heavy shoe traffic but comfortable for barefoot traffic. Suitable for industrial and commercial applications. Easy to clean and mop friendly. <b>Certified High Traction by NFSI.</b> <i>Price per 60 ft roll.</i></p>
NS75101 NS75102 NS75103 NS75106	1" X 30 ft. 2" X 30 ft. 3" X 30 ft. 6" X 30 ft.	6 3 2 1	<p style="text-align: center;"><b>PHOTO LUMINESCENT PROMO GRADE GLOW IN THE DARK TAPE - NO GRIT</b></p> <p>Peel &amp; Stick Tape that glows in the dark. For emergency exits, passageways, staircases, and under condition of power failure 1+ hours</p>

ITEM NO.	SIZE ROLLS	PER CASE	DESCRIPTION
NS75201 NS75202 NS75203 NS75206 NS7520-3-CIR20 NS7520-3-ARR20 NS7520STB NS7520STG NS7520STR	1" X 30 ft. 2" X 30 ft. 3" X 30 ft. 6" X 30 ft. 3" Circles 3" Arrow 2"X30 ft. 2"X30 ft. 2"X30 ft.	6 3 2 1 20/pack 20/pack 3 3 3	<p align="center"><b>PHOTO LUMINESCENT SAFETY GRADE GLOW IN THE DARK TAPE - NO GRIT</b></p> <p>Peel &amp; Stick Tape that glows in the dark. For emergency exits, passageways, staircases, and under condition of power failure Photoluminescent, 10 packs per case Photoluminescent, 10 packs per case Black Stripe Photoluminescent Green Stripe Photoluminescent Red Stripe Photoluminescent Illumination Duration Time to 0.32mcd/m2 = 6+ hours</p>
NS75501HT NS75502HT NS75503HT      NS7550HT-CIR20 NS7550HTARR	1" X 30 ft. 2" X 30 ft. 3" X 30 ft.     3" Circles 3" Arrow	6 3 2     20/pack 20/pack	<p align="center"><b>PHOTO LUMINESCENT HIGH TACK SAFETY GRADE GLOW IN THE DARK TAPE - NO GRIT</b></p> <p>Glow Tape with PSA designed for emergency exits, passageways, staircases, and under condition of power failure with High Tack Adhesive for low energy surfaces Illumination Duration Time to 0.32mcd/m2 – 24+ hours</p> <p><b>High Tack Photo luminescent, 10 packs per case High Tack Photo luminescent, 10 packs per case</b></p>
NS4201PH NS4202PH NS4204PH NS4206PH	1" x 60 ft. 2" x 60 ft. 4" x 60 ft. 6" x 60 ft.	12 6 3 2	<p align="center"><b>ANTI SLIP PHOTOLUMINESCENT GRIT TAPE</b></p> <p>Glow In The Dark Anti Slip Grit Safety Tape with excellent luminescent properties. For emergency exits, staircases, etc. <b>Certified High Traction by NFSI. Price per 60 ft roll.</b></p>
NS4302PH NS4304PH NS4306PH NS4300PH- 6X24-10	1" X 60 ft. 2" X 60 ft. 4" X 60 ft. 6" X 60 ft. 6"X24", 10 per case	12 6 3 2 10/cs	<p align="center"><b>PREMIUM ANTI SLIP PHOTOLUMINESCENT GRIT TAPE – Safety Grade</b></p> <p>Glow In The Dark Anti Slip Safety Tape, Grit Anti slip grit tape with excellent luminescent properties. For emergency exits, staircases, Etc. <b>Certified High Traction by NFSI.</b> <i>Price per 60 ft roll and strips are priced per case.</i></p>
NS5402PH	2"X60 ft.	6	<p align="center"><b>ANTI SLIP GLOW STRIPE GRIT TAPE</b></p> <p>Our standard anti slip tape that provides excellent anti slip properties and also features a glow in the dark strip that takes about two hours to charge in natural or artificial light, giving illumination during power outs.</p>

## PVC AISLE MARKING HAZARD WARNING TAPE

ITEM NO.	SIZE ROLLS	PER CASE	DESCRIPTION
<b>SI-NSVM101X108</b> <b>SI-NSVM102X108</b> <b>SI-NSVM103X108</b> <b>SI-NSVM104X108</b> <b>SI-NSVM106X108</b>	<b>1"X108 FT</b> <b>2"X108 FT</b> <b>3"X108 FT</b> <b>4"X108 FT</b> <b>6"X108 FT</b>		<p style="text-align: center;"><b>PVC AISLE MARKING TAPE</b></p> <p>Highly visible, tough, pressure-sensitive vinyl tapes are perfect for: aisle marking, color coding, duct sealing, abrasion protection, joint sealing, pipe wrapping, decorating, light bundling, packaging, safety marking, etc. Available in 12 colors and clear. One roll of vinyl tape measures 108 feet. Please specify color. Yellow, Red, White, Blue, Green, Brown, Orange, Gray, or Purple.</p>
<b>SI-NSHT202X108</b> <b>SI-NSHT203X108</b> <b>SI-NSHT204X108</b>	<b>2"X108 FT</b> <b>3"X108 FT</b> <b>4"X108 FT</b>		<p style="text-align: center;"><b>HAZARD STRIPED</b></p> <p>Used for striping, warning and marking of hazardous areas. Color of equipment and devices. Safety Coding, lane marking.</p> <div style="text-align: right;">  </div>
ITEM NO.	SIZE ROLLS	PER CASE	DESCRIPTION
<b>SI-REF-1X30</b> <b>SI-REF-2X30</b> <b>SI-REF-3X30</b> <b>SI-REF-4X30</b> <b>SI-REF-1X150</b> <b>SI-REF-2X150</b> <b>SI-REF-3X150</b> <b>SI-REF-4X150</b> <b>SI-REF-6X150</b>	<b>1"X30 FT</b> <b>2"X30 FT</b> <b>3"X30 FT</b> <b>4"X30 FT</b> <b>1"X150 FT</b> <b>2"X150 FT</b> <b>3"X150 FT</b> <b>4"X150 FT</b> <b>6"X150 FT</b>		<p style="text-align: center;"><b>REFLECTIVE SAFETY TAPES</b></p> <p>Our high quality, Engineering Grade reflective material is perfect for poles, barricades, buildings, fences, roads, etc. to help signify danger and/or roadway hazards. Excellent daytime and night time visibility. Our permanent adhesive sticks to most clean and dry surfaces. Material is rated for 5 to 7 years of outdoor life, depending on conditions. Meets ASTM specifications D4596-01. COLOR: SOLIDS</p>
<b>SI-REST-1X30</b> <b>SI-REST-2X30</b> <b>SI-REST-3X30</b> <b>SI-REST-4X30</b> <b>SI-REST-1X150</b> <b>SI-REST-2X150</b>	<b>1"X30 FT</b> <b>2"X30 FT</b> <b>3"X30 FT</b> <b>4"X30 FT</b> <b>1"X150 FT</b> <b>2"X150 FT</b>		<p style="text-align: center;"><b>STRIPES</b></p> <p>Meets ASTM specifications D4596-01.</p> <p>HAZARD STRIPED RED/WHITE</p> <div style="text-align: right;">  </div>